# WEST Search History

Hide Items | Restore | Clear | Cancel

DATE: Monday, October 25, 2004

| Hide? | Set Name | Query | Hit Count |
|---|---|---|---|
| | | *DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ* | |
| ☐ | L23 | L22 and L5 | 8 |
| | | *DB=USPT; PLUR=YES; OP=ADJ* | |
| ☐ | L22 | L21 | 65 |
| | | *DB=USPT,PGPB; PLUR=YES; OP=ADJ* | |
| ☐ | L21 | L20 and remote$ | 86 |
| ☐ | L20 | L6 and L10 | 123 |
| | | *DB=JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ* | |
| ☐ | L19 | L18 and remote$ | 0 |
| ☐ | L18 | L16 and debug$ | 35 |
| ☐ | L17 | L16 and (test near (suite or bed or script or case)) | 3 |
| ☐ | L16 | display$ near (error or (exception near condition)) | 3552 |
| | | *DB=USPT,PGPB; PLUR=YES; OP=ADJ* | |
| ☐ | L15 | L14 and remote | 92 |
| ☐ | L14 | L13 and L7 | 219 |
| ☐ | L13 | L12 or L11 or L10 or L9 | 8325 |
| ☐ | L12 | display$ near2 (exception near condition) | 24 |
| ☐ | L11 | display$ near2 (exception near condition) | 24 |
| ☐ | L10 | display$ near (error or (exception near condition)) | 8304 |
| ☐ | L9 | display$ near (fatal error or (exception near condition)) | 10 |
| ☐ | L8 | fatal error or (exception near condition) | 4367 |
| ☐ | L7 | test near (suite or bed or script or case) | 13732 |
| ☐ | L6 | exception near handl$ | 4040 |
| | | *DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ* | |
| ☐ | L5 | L4 or L1 or L2 or L3 | 8198 |
| ☐ | L4 | (712/227 \|712/244).ccls. | 928 |
| ☐ | L3 | (714/37 \|714/38 \|714/39 \|714/40 \|714/41 \|714/42 \|714/43 \|714/44 \|714/45 \|714/46 \|714/47 \|714/48 \|714/49 \|714/50 \|714/51 \|714/52 \|714/53 \|714/54 \|714/55 \|714/56 \|714/57).ccls. | 5769 |
| ☐ | L2 | (710/66 \|710/67 \|710/68).ccls. | 481 |
| | L1 | (717/124 \|717/125 \|717/126 \|717/127 \|717/128 \|717/129 \|717/130 | 1539 |

Best Available Copy

☐ |717/131).ccls.

END OF SEARCH HISTORY

Terms used **keystroke sending input exception test script** Found **2** of **143,484**

Sort results by: relevance
Display results: expanded form
Save results to a Binder
Search Tips
Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 2 of 2

Relevance scale

**1** Toward automatic generation of novice user test scripts
David J. Kasik, Harry G. George
April 1996 **Proceedings of the SIGCHI conference on Human factors in computing systems: common ground**
Full text available: pdf(1.03 MB) html(43.25 KB) Additional Information: full citation, references, citings, index terms

**Keywords**: automated test generation, dialog model specification, genetic algorithms, software engineering test process

**2** Extracting usability information from user interface events
David M. Hilbert, David F. Redmiles
December 2000 **ACM Computing Surveys (CSUR)**, Volume 32 Issue 4
Full text available: pdf(1.50 MB) Additional Information: full citation, abstract, references, citings, index terms, review

Modern window-based user interface systems generate user interface events as natural products of their normal operation. Because such events can be automatically captured and because they indicate user behavior with respect to an application's user interface, they have long been regarded as a potentially fruitful source of information regarding application usage and usability. However, because user interface events are typically voluminos and rich in detail, automated support is generally ...

**Keywords**: human-computer interaction, sequential data analysis, usability testing, user interface event monitoring

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright ? 2004 ACM, Inc.
Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player

Welcome to IEEE Xplore

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Enterprise

- Access the IEEE Enterprise File Cabinet

Your search matched **2** of **1085387** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

**Refine This Search:**
You may refine your search by editing the current search expression or enterin new one in the text box.

test data<and>keyboard Search

☐ Check to search within this result set

**Results Key:**
**JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard

---

1 **The use of heat pipes in personal computers**
*Xie, H.; Ali, A.; Bhatia, R.;*
Thermal and Thermomechanical Phenomena in Electronic Systems, 1998. ITHE '98. The Sixth Intersociety Conference on , 27-30 May 1998
Pages:442 - 448

[Abstract] [PDF Full-Text (712 KB)] **IEEE CNF**

---

2 **Two data organizations that support automatic computer troubleshooting with a signature analyzer**
*Chatterjee, S.; Smith, D.L.;*
Southeastcon '95. 'Visualize the Future'., Proceedings., IEEE , 26-29 March 19
Pages:244 - 249

[Abstract] [PDF Full-Text (460 KB)] **IEEE CNF**

---



Copyright © 2004 IEEE — All rights reserved

**Web** Results **1** - **10** of about **4,970** for **keystroke sending input exception**. (**0.55** seconds)

Chapter 8: Event-Driven **Input**
... eg, the application may not be prepared to accept keyboard **input** just because it ... In fact, a single **keystroke** typically winds up **sending** three different ...
webster.cs.ucr.edu/Page_win32/ WindowsAsmPgm/html/Ch08.html - 101k - Cached - Similar pages

Catching keyboard **input** in DOS and Windows
... All **keystroke** messages pass information about the key ... 0x25 When processing keyboard **input**, a program's ... the message to TranslateMessage(), before **sending** it to ...
www.xploiter.com/programming/c/borland/3130.html - 14k - Cached - Similar pages

X Window System, Version 11 **Input** Method Specifications Public ...
... Draft in the on-the-spot case, the echo of the **keystroke** in the pre ... **input** method shall signal to clients that they have composed **input** by **sending** a synthetic ...
www.opencjk.org/~yumj/ch**input**/ximproto.html - 80k - Cached - Similar pages

Upgrading & Repairing PCs Eighth Edition -- Ch 9 -- **Input** Devices
... numeric keypad, which is reserved for numeric **input**. ... designed to filter this, or debounce the **keystroke**. ... typematic rate is adjustable by **sending** the keyboard ...
cma.zdnet.com/book/upgraderepair/ch09/ch09.htm - 101k - Cached - Similar pages

Windows NT: The Microsoft ScriptIt Utility
... Calculator window instance that has 999 displayed in the **input** box. ... Directory+done!=~, responds to the finished dialog by **sending** an Enter **keystroke** (a tilde ...
www.microsoft.com/technet/prodtechnol/ winntas/downloads/scriptit.mspx - 56k - Cached - Similar pages

netbeans-src/core/output2/src/org/netbeans/core/output2/Controller ...
... Controller.log) Controller.log ("**Sending input** to " + in ... A **keystroke** */ private static **KeyStroke** getAcceleratorFor (String ... os.write(b); } catch (**Exception** e) { e ...
www.devdaily.com/java/jwarehouse/netbeans-src/ core/output2/src/org/netbeans/core/output2/Controller.shtml - 56k - Cached - Similar pages

slime-devel mail archive - Luke Gorrie : [slime-devel] Daily ...
... of a format character + The final **keystroke** is bound ... The **exception** is hyperspec-lookup, because it's nice to ... Fixed a subtle difference in **sending input** to the ...
common-lisp.net/macho-archives/ slime-devel/2004-6/1807.html - 8k - Cached - Similar pages

CodeGuru: **Keystroke** Logger and More, Part 3
... This is the third article of "**KeyStroke** Logger and ... **Input** www.hotmail.com in the edit area on ... HTML without processing (filtering) here, after **sending** 10 online ...
www.codeguru.com/Cpp/W-P/ system/security/article.php/c5697/ - 101k - Cached - Similar pages

Support for the Wubizixing **Input** Method in the Solaris(TM) ...
... using a standard keyboard before **sending** them to ... key will query the system for **input** codes, making ... for a candidate; Display the candidates after each **keystroke**; ...
developer.sun.com/dev/gadc/ technicalpublications/articles/wubi_features_en.html - 25k - Oct 24, 2004 - Cached - Similar pages

[PDF] **Input** Fields

File Format: PDF/Adobe Acrobat - View as HTML
... this method throws the run-time **exception** IllegalArgumentException . ... types while the component has **input** focus, its ... all events yourself, before **sending** them to ...
www.oreilly.com/catalog/javawt/book/ch08.pdf - Similar pages



Free! Get the Google Toolbar. Download Now - About Toolbar




keystroke sending input exceptio Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

**Search Results** Results **1 - 10** of about **19,100** for **keystroke sending input exception** - 0.44 sec. (About th

1. Catching keyboard **input** in DOS and Windows
   3130 Catching keyboard **input** in DOS and Windows. Last update 02/03/97 ... **keystroke** to the screen. g same way as getch() with the **exception** that the key entered is echoed to the user screen. Catching Keyb
   www.xploiter.com/programming/c/ borland/3130.html - 13k - Cached - More from this site

2. Pine Technical Notes: Configuration and Preferences
   Configuration and Preferences. There is very little in Pine which requires compile-time configuration. In mo in preferences will suit users and administrators just fine. ... precedence over per-user **exception** settings over ... you delete it before **sending**. If a header in the ... not piped into standard **input** of the executed co
   www.washington.edu/pine/tech-notes/ config.html - 409k - Cached - More from this site

3. Handling Exceptions (PDF)
   ... four techniques of user **input** validation: control choice, control state, **keystroke** validation, and full con an email notification of the. **exception**, or it may ...
   vig.pearsonptr.com:8081/ samplechapter/0789728990.pdf - 408k - View as html - More from this site

4. http://www.gwmicro.com/gwinfo/Date.htm
   GW Micro - GW Info Archives. "Unleashing the power of your mind's eye." Welcome to the GW-Info archiv messages from past posts to GW-Info. You can sort by Subject, Author, or Date. ... 04-Jun-2004. Braille **In** Geoffray ... i am nor **sending** ncoffman mail ... 10-May-2004. **Exception** Dictionary. Warren aka scamper
   www.gwmicro.com/gwinfo/Date.htm - 1456k - Cached - More from this site

5. Java 2 Platform SE v1.3.1: Uses of Interface java.io.Serializable
   ... Provides for system **input** and output through data streams ... Provides the **exception** InvalidName, wh which indicates that a **keystroke** occurred in a component ...
   java.sun.com/j2se/1.3/docs/api/ java/io/class-use/Serializable.html - 464k - Cached - More from this site

6. ITCWeb On-Line Manual Pages
   On-Line Manual Pages. Enter command to search for: ... is an interface for **sending** and manipulating a d only processes **input** after a carriage return ... see INITIALIZATION) with the **exception** that commands t
   www.itc.virginia.edu/cgi-contrib/ manpage.cgi?mush - 223k - Cached - More from this site

7. Upgrading & Repairing PCs Eighth Edition -- Ch 9 -- **Input** Devices
   Upgrading & Repairing PCs Eighth Edition. - 9 - **Input** Devices. This chapter discusses **input** devices--the communicate with the computer. ... unit, with perhaps the **exception** of the Enter key ... filter this, or debo keyboard processor ...
   cma.zdnet.com/book/upgraderepair/ ch09/ch09.htm - 190k - Cached - More from this site

8. Java(TM) 2 Platform, Standard Edition, v1.2.2 API Specification: Uses of Interface java.i
   ... Provides for system **input** and output through data streams ... Provides the **exception** InvalidName, wh which indicates that a **keystroke** occurred in a component ...
   d.umn.edu/~cprince/courses/... /java/io/class-use/Serializable.html - 369k - Cached - More from this site

9. JobsToGo
   JobsToGo -- JTGChap, the Chaperone Program. JTGChap is a powerful general purpose scripting progra JobsToGo. ... limitations which apply to **sending** keystrokes to a target application ... line in the **input** file sequences cannot appear ... With the **exception** of the Rem command, if the value ...

www.integrity.co.uk/JobsToGo/ JTGChap.htm - 27k - Cached - More from this site

10. S-Index (Java 2 Platform SE v1.4.2)
... file saving event. SAXException - **exception** org.xml.sax.SAXException ... a new SAXException. SAXE Constructor for class ... The side **input** tray. SIGN - Static variable ...
java.sun.com/j2se/1.4/docs/api/ index-files/index-19.html - 524k - Cached - More from this site

**Results Page:**
1 2 3 4 5 6 7 8 9 10 **Next**

---

Web | Images | Directory | Local NEW! | News | Products
Your Search: keystroke sending input exception Search

Help us improve your search experience. Send us feedback.
Create your own personal search experience with My Yahoo! Search [BETA]

Copyright © 2004 Yahoo! Inc. All rights reserved. Privacy Policy - Terms of Service - Submit Your Site

**This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record**

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.
As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.